4500

Name, Address City, County, ZIP:

Station Code:

Reported Date (Month Year):

Application: 0i100091*GD

1/13/2007

American Energy Corporation 43521 Mayhugh Hill Road TWP 88

Beallsville OH43716

014 December 2006 Sampling Station Description :

Final

(1) - Enter 1 for Continuous, 2 for Composite, 3 for Grab Sample (2) - Enter frequency of sampling							Analys	Analyst:	
]	Industrial Lab					
(1)	3								
(2)	1		· ···						
·	(00094) Conductivity Umho/Cm	- I			:	-			
Day						E .			
01	AL				***************************************				
02							L		
03									
04									
05			***************************************				***************************************		
06									
07									
08					······	,			
09							-		
10			AMERICAN PROPERTY.		· · · · · · · · · · · · · · · · · · ·		***************************************		
11					i			***************************************	
12								7777 77777777777	
13									
14									
15									
16									
17									
18									
19					······································				
20					ı				
21									
22									
23							***************************************		
24					·			····	
25					,		***************************************	······································	
26									
27								50	
28									
29									
30									
31			Mark Annual Control of the Control o						
OTAL	0	0	0	0		0	0	0	
AVG		9	<u> </u>	0		· ·	<u> </u>		
MAX	0								
MIN	0	0	0	0		0	0	0	

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI